

Presario 600

System Boards	Assembly	Spare Part	System	Configuration Code
486SX/25	003431-001	160018-001	Presario 625	HGS
	003431-002	DISCONTINUED	Presario CDS	HGT
486SX/33	003434-001	160420-001	Presario 633,	HGU, HJD
	003434-002	DISCONTINUED	Presario CDS	HHY, HJD
486SX2/50	003858-001	164857-001	Presario 650	HKN
486SX2/66	003876-001	164912-001	Presario 660	HJE
		DISCONTINUED		

Jumper Settings (System Board 003431, 003434, 003858, 003876)

Jumper	Function	Pins	Function
P5, P6	On-board Video Select	1,2 *	Enabled
		No jumpers	Disabled
P7	Processor Select	1,2	Nonsocketed Enabled
		2,3	Nonsocketed Disabled
		No header	Socketed
P8	Processor Speed Select	1,2	33-MHz Processor Bus
		2,3	25-MHz Processor Bus
P9 1, 2	Processor Configuration	1,2	486DX/DX2, 486SX (nonsocketed), 487SX/OD, 486SX2
		2,3	486SX (socketed)
P10 1, 2	Processor Configuration	1,2	486SX (nonsocketed) and 486SX(socketed)
		2,3	486DX/DX2, 487SX/OD, and 486SX2
P11 ²	Processor Configuration	1,2	486DX/DX2, 486SX2
		2,3	487SX/OD
		3,4	486SX (nonsocketed) and 486SX(socketed)
P13	Configuration Resistors of Super I/O Chip	1,2 *	26Eh/26Fh
		No jumper	398h/399h
P14	Clear CMOS	1,2	Remove jumper for 10 seconds to clear setup

* Default.

¹ Headers not installed on 486/33 models.

² Headers not installed on 486/50 and 486/66 models. Configuration set by 0-ohm resistors.

Microprocessors	Spare Part	System
486DX2/50	163661-001	Option
486DX2/66	194395-001	Option

Memory Boards	Assembly	Spare Part	System
1 MB Memory Module	118666-004	141752-001	Option
		DISCONTINUED	
2 MB Memory Module	118667-004	141753-001	Option
4 MB Memory Module	137854-002	141754-001	Option
8 MB Memory Module	137853-002	141755-001	Option
16 MB Memory Module	137143-003	149947-001	Option

Miscellaneous Internal	Assembly	Spare Part	System
Backplane (4-slot)	002927	143342-001	All

Presario 600

Controller Boards	Assembly	Spare Part	System
6260 SCSI-2 Controller *	004004	146993-001	Option
Data/Fax/Voice Modem	003697	164423-001	Presario 650, 660, 633 CDS
Ethernet 16 TP Controller	003086	147220-001	Option
Fax/Data Modem **	141605-001	141607-001	All except Presario 650, 660, 633 CDS
QVision 1024/i Controller *	002948	148866-001	Option
		DISCONTINUED	
QVision 1280/i Controller *	002951	139182-001	Option
		DISCONTINUED	
Serial/Parallel Interface *	000990	106886-001	Option
Sound Board, PAS-16 *	160921-001	160919-001	Presario 625, CDS
		DISCONTINUED	
Sound Board, SB-16 *	197492-001	197493-001	Presario 633, CDS
Token Ring Controller	160782-001	142836-001	Option
		DISCONTINUED	

* See Multiproduct Boards Appendix, for settings.

** See Modem Configuration Information Appendix, for settings.

Hard Drives

Size	Type	Inter-leave	Inte-grated	Spare Part	System
120 MB, IDE	50	1:1	Y	143316-001	Model 120
200 MB, IDE	51	1:1	Y	160702-001	Model 200
				DISCONTINUED	
240 MB, IDE	1	1:1	Y	143332-001	Model 240
				DISCONTINUED	
270 MB, IDE	65/66	1:1	Y	197441-001	Option
340 MB, IDE	65	1:1	Y	171923-001	Model 340
				DISCONTINUED	
525 MB, IDE	42	1:1	Y	197014-001	Option
550 GB	N/A			142038-001	Option
SCSI-2					
1.05 GB	N/A			192799-001	Option
SCSI-2					

CD-ROM Drives

	Spare Part	System
CD-ROM - LMSI	160917-001	Presario 625
	DISCONTINUED	CDS
CD-ROM - Tray Load External	199430-001	Option
CD-ROM - Tray Load Internal	142223-001	Presario 633
		CDS

Diskette Drives

	Spare Part	System
1.2 MB	141367-201	Option
1.44 MB (Light Grey)	160788-201	All

ROM Information

	Spare Part
486 C2 06/13/94	160192-001
	DISCONTINUED

Presario 600


Cables	Used With	Spare Part
CD-ROM Audio	CD-ROM Drive - Tray Load	199493-001 DISCONTINUED
CD-ROM Cable	CD-ROM Drive LMSI	160929-001 DISCONTINUED
CD-ROM Data	CD-ROM Drive - Tray Load	197842-001
Diskette Drive Cable	Diskette Drive	141186-001 DISCONTINUED
Hard Drive Cable	Hard Drive	141187-001 DISCONTINUED
LED Cable	System	141346-001
Telephone	Fax/Modem	127949-001

Battery/Power Supply	Spare Part
Power Supply	141337-001 (145 Watt/230 VAC)
Date Code < 401	DISCONTINUED
Date Code > 401	137633-001 (145 Watt/115 VAC)
	DISCONTINUED
	194352-001 (145 Watt Energy Star)
	DISCONTINUED
Real-Time Clock Battery (4.5 v Alkaline)	160274-001


Presario 600

Memory Upgrade Chart

MEMORY UPGRADE CHART
4MB on System Board
(003431, 003434, 003858, 003876)



MAXIMUM MEMORY IS 56 MB INCLUDING 4 MB ON SYSTEM BOARD. U-38 SIMM SLOT MUST CONTAIN A COMPAQ APPROVED 4 MB SIMM OR THE SYSTEM WILL NOT RECOGNIZE THE MEMORY. THE OTHER 3 SLOTS WILL TAKE 1 TO 16 MB SIMMS.



1-MB MEMORY MODULE
SPARE PN 141752-001

2-MB MEMORY MODULE
OPTION PN 141683-001

4-MB MEMORY MODULE
OPTION PN 141684-001

8-MB MEMORY MODULE
OPTION PN 141685-001

16-MB MEMORY MODULE
OPTION PN 190747-001